# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S182 | 100 | burst with (averag$3 or mean) near3 (rate$2 or bitrate$2 or bit rate$2 or mbps or kbps) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or 370/310-350.ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/09 15:25 |
| S183 | 51 | burst with (averag$3 or mean) near3 (rate$2 or bitrate$2 or bit rate$2 or mbps or kbps) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/09 15:26 |
| S184 | 12 | burst near2 (averag$3 or mean) near3 (rate$2 or bitrate$2 or bit rate$2 or mbps or kbps) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/09 15:33 |
| S185 | 6 | (vbr same burst$2 with (averag $3 or mean) near3 (rate$2 or bitrate$2 or bit rate$2 or mbps or kbps)) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/09 15:47 |
| S186 | 0 | ("200201400851").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/05/09 16:16 |
| S187 | 1 | ("20020140851").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/05/09 16:16 |
| S188 | 1 | (US-20020140851-$).did. | US-PGPUB | ADJ | OFF | 2009/05/10 12:10 |

| S190 | 1 | S188 and (rate$4 or bitrate$4) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 12:10 |
|------|---|--------------------------------|----------------------------------------|-----|-----|------------------|
| S191 | 10 | (vbr with (averag$3 or mean) near3 (rate$2 or bitrate$2 or bit rate$2 or mbps or kbps)) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 12:16 |
| S192 | 277 | (averag$3 or mean) near3 (rate $2 or bitrate$2 or bit rate$2 or mbps or kbps) same (burst$2 near2 rate$2 or bitrate$2 or bit rate$2 or mbps or kbps) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 12:21 |
| S193 | 34 | (averag$3 or mean) near3 (rate $2 or bitrate$2 or bit rate$2 or mbps or kbps) same burst$2 near2 (rate$2 or bitrate$2 or bit rate$2 or mbps or kbps) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 12:22 |
| S194 | 22 | ("20020054578" \| "20030016630" \| "20030071096" \| "20040204041" \| "20050105469" \| "20070263657" \| "5546377" \| "6167253" \| "6275497" \| "6700869").PN. | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 12:28 |
| S195 | 10 | ("20020054578" \| "20030016630" \| "20030071096" \| "20040204041" \| "20050105469" \| "20070263657" \| "5546377" \| "6167253" \| "6275497" \| "6700869").PN. | US-PGPUB; USPAT | ADJ | OFF | 2009/05/10 12:28 |

| S196 | 1 | (US-20020054578-$).did. | US-PGPUB | ADJ | OFF | 2009/05/10 12:30 |
|---|---|---|---|---|---|---|
| S197 | 1 | S196 and (rate$2 or bitrate$2) | US-PGPUB; USPAT | ADJ | OFF | 2009/05/10 12:30 |
| S198 | 44 | (averag$3 or mean) near3 (rate $2 or bitrate$2 or bit rate$2 or mbps or kbps) same burst$2 with (max$6 or high$5) near2 (rate$2 or bitrate$2 or bit rate $2 or mbps or kbps) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 12:46 |
| S199 | 1 | (US-20030202499-$).did. | US-PGPUB | ADJ | OFF | 2009/05/10 12:55 |
| S200 | 1 | S199 and upper$2 | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 12:55 |
| S201 | 1 | S199 and (upper$2 or high$5 or averag$3 or mean) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 12:56 |
| S202 | 1 | S199 and (upper$2 or high$5 or averag$3 or mean or low$4 or minim$5) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 12:56 |
| S203 | 1 | (US-5742594-$).did. | USPAT | ADJ | OFF | 2009/05/10 13:09 |
| S204 | 1 | S203 and (rate$2 or bitrate$4) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 13:10 |
| S205 | 1 | (US-5363374-$).did. | USPAT | ADJ | OFF | 2009/05/10 13:18 |
| S206 | 1 | S205 and (max$6) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 13:18 |
| S207 | 88 | (adapt$5 or variable$2) with (averag$3 or mean) with (max $6 or high$5) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 13:40 |

| S208 | 54 | (adapt$5 or variable$2) with (averag$3 or mean) with (max $6 ) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 13:40 |
|------|----|----|----|----|----|----|
| S209 | 1 | (US-20030198204-$).did. | US-PGPUB | ADJ | OFF | 2009/05/10 13:44 |
| S210 | 1 | S209 and (average$4 or burst $4 or max$5 or high$6) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 13:44 |
| S211 | 0 | (averag$3 or mean) with (temporarily) near2 (max$6 or high$5) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 14:05 |
| S212 | 131 | burst rate$2 and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 17:34 |
| S213 | 8 | average burst rate$2 and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 17:38 |
| S214 | 5 | burst (rate$2 or bitrate$3) same (average$4 or mean$4) near2 (rate$3 or bitrate$3) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 18:09 |

| S215 | 29 | burst (rate$2 or bitrate$3) and (average$4 or mean$4) near2 (rate$3 or bitrate$3) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or 370/310-350. ccls.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 18:47 |
|------|----|----|----|----|----|----|
| S216 | 47 | burst (rate$2 or bitrate$3) same (average$4 or mean$4) near2 (rate$3 or bitrate$3) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455.clas" or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 19:04 |
| S217 | 59 | burst (rate$2 or bitrate$3) same (average$4 or mean$4) near2 (rate$3 or bitrate$3) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 19:04 |
| S218 | 3 | burst (rate$2 or bitrate$3) same (average$4 or mean$4) near2 (rate$3 or bitrate$3) same (pcr or scr or vbr) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 19:06 |
| S219 | 29 | burst (rate$2 or bitrate$3) same (pcr or scr or vbr) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 19:38 |
| S220 | 0 | ("fig." with pcr with scr) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 20:00 |

| S221 | 0 | ("fig." with peak cell) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 20:01 |
|------|----|----|----|----|----|----|
| S222 | 81 | (mcr or maximum burst rate$3) with (scr) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 20:04 |
| S223 | 3 | ( maximum burst rate$3) with (scr) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 20:05 |
| S224 | 0 | ("fig." with vbr) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 20:09 |
| S225 | 0 | (fig with vbr) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 20:09 |
| S226 | 0 | (fig$2 with vbr) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 20:09 |
| S227 | 1 | (fig$2 same vbr) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 20:09 |

| S228 | 23 | ((average$4 or mean$4) adj2 (pcr or peak cell rate$4)) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 20:14 |
|------|----|-----|------|-----|-----|-----|
| S229 | 40 | (average$4 or mean$4) same pcr same scr same maximum burst and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 20:28 |
| S230 | 12 | (average$4 or mean$4) same pcr same scr same maximum burst same maximum rate$3 and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455".clas. or "370".clas.) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/05/10 20:28 |

**5/11/2009 1:57:36 AM**
**C:\Documents and Settings\kcehic\Desktop\apps\10676941\941.wsp**